JUPITER PRIME
Consulting • Training • Advisory
جوبيتر برايم للاستشارات والتدريب

COURSE BROCHURE

# Low Voltage Fuse, Breaker and Earth Fault Protection Training Course

15 – 19 August 2027
Sharm El-Sheikh

# Low Voltage Fuse, Breaker and Earth Fault Protection Training Course

**Ref:** 3240_123335 **Date:** 15 – 19 August 2027 **Location:** Sharm El-Sheikh **Fees:** 5500 GBP

Low Voltage Fuse, Breaker and Earth Fault Protection is a 1-week training course for low voltage installation engineers, maintenance technicians and facility electrical supervisors, built around one work product: a low voltage protection discrimination study for a single switchboard. Organisations now expect one circuit fault to clear without darkening a floor or process line. Jupiter Prime Training delivers this course on low voltage fuse, breaker and earth fault protection.

## Why Low Voltage Fuse, Breaker and Earth Fault Protection Matters Now

Today, larger transformers and parallel supplies push fault currents towards device breaking limits. Drives and charging points add leakage and smooth fault currents that ordinary residual devices misread. Insurers and owners want documented proof that each board isolates faults selectively. Handled well, critical circuits stay alive and people are protected from shock; handled badly, nuisance trips, damaged cables and fire risk follow. The course rests on internationally recognised wiring and switchgear practice, applied to office towers, hospitals and industrial plants alike.

## Who Gains Most from Low Voltage Fuse, Breaker and Earth Fault Protection

- Engineers who size and select protective devices for new boards and extensions
- Technicians who test, adjust and replace breakers, fuses and residual current devices on live sites
- Supervisors who sign off board changes and investigate unexplained trips
- Specialists who check cable sizes against fault energy and loop impedance limits
- Staff who maintain motor starters and control panels in plant rooms

Maintenance groups gain most when designers and the technicians who adjust trip units attend together.

## Low Voltage Fuse, Breaker and Earth Fault Protection Capabilities

Participants move from fault arithmetic to device curves and then to signed decisions about each outgoing way on a switchboard.

- Calculate prospective short-circuit and earth fault currents at each board — device breaking capacity choices
- Specify fuse links and breaker trip settings from time-current curves — circuit and cable protection
- Test selectivity between upstream and downstream devices using let-through energy — continuity for critical loads
- Weigh residual current device types against load leakage behaviour — shock protection and nuisance tripping
-

Apply motor overload and short-circuit coordination rules — starter selection for plant drives
- Communicate setting changes in a marked-up board schedule — sign-off by facility supervisors

## Key Low Voltage Fuse, Breaker and Earth Fault Protection Terms

- Prospective short-circuit current — the current a bolted fault would draw at a point if no device limited it.
- Discrimination — coordination in which only the device nearest a fault opens, keeping other circuits supplied.
- Let-through energy — the heating effect a device lets pass while clearing a fault.
- Earth fault loop impedance — the impedance of the fault path to earth and back, which sets disconnection time.
- Residual current device — a device that trips when outgoing and returning currents differ.
- Back-up protection — an upstream device helping a downstream one clear faults beyond its rating.

## Low Voltage Fuse, Breaker and Earth Fault Protection Day by Day

## Day 1: Fault Levels on the Distribution Board

- Supply Transformer Impedance Data — Starting Fault Level at the Main Board
- Cable Impedance Build-Up Along Feeders — Fault Current at Sub-Boards
- Parallel Supplies and Generator Contribution — Worst Case Breaking Duty
- Earthing Arrangements and Fault Paths — Choice of Protective Method
- Single Line Diagram Mark-Up — Fault Values Recorded per Busbar

## Day 2: Fuses and Circuit Breakers in Detail

- Fuse Link Categories and Melting Characteristics — Cable and Motor Duty
- Miniature Breaker Tripping Curves — Final Circuit Load Types
- Moulded Case Breaker Thermal and Magnetic Settings — Feeder Protection Choices
- Air Circuit Breaker Electronic Trip Units — Long, Short and Instantaneous Bands
- Breaking Capacity Ratings and Current Limiting — Device Selection at Each Level

## Day 3: Discrimination Between Devices

- Time-Current Curve Overlay — Overcurrent Selectivity Between Two Levels
- Manufacturer Selectivity Tables — Total or Partial Discrimination Limits
- Energy-Based Selectivity for Fuses — Pre-Arcing and Total Clearance Values
- Back-Up Protection Combinations — Cost Against Continuity Trade-Off
- Zone Selective Interlocking Between Breakers — Faster Clearance at Main Boards

## Day 4: Earth Fault, Residual Current and Motor Protection

- Loop Impedance Measurement and Disconnection Times — Shock Protection Verification
- Residual Current Device Types for Drives and Chargers — Leakage and Smooth Current Faults
- Time-Delayed Residual Devices Upstream — Earth Fault Selectivity
- Motor Overload Relays and Starter Coordination — Damage Limits After a Fault
- Cable Adiabatic Check Against Let-Through Energy — Conductor and Protective Conductor Size

## Day 5: Practising the Low Voltage Protection Discrimination Study

- Fault Level Table for the Chosen Switchboard — Busbar and Outgoing Way Values
- Device Schedule with Trip Settings — Every Outgoing Way Documented
- Selectivity and Earth Fault Checks Combined — Gaps and Corrective Settings
- Peer Challenge of Setting Choices — Supervisor Sign-Off Readiness
- Low Voltage Protection Discrimination Study — Final Report for One Switchboard

## Applying Low Voltage Fuse, Breaker and Earth Fault Protection After the Course

- Lead a fault level and trip setting survey on one live distribution board.
- Run a residual current device review for drive and charger circuits and replace types that trip on leakage.

## Low Voltage Fuse, Breaker and Earth Fault Protection Questions FAQ

### What is low voltage fuse, breaker and earth fault protection and why does it matter now?

It is the selection and setting of fuses, breakers and residual current devices so faults clear safely and selectively. Higher fault levels and electronic loads make careful choices pressing.

### Which roles gain most from low voltage fuse, breaker and earth fault protection training?

Installation engineers, maintenance technicians and facility supervisors gain most. Each selects, tests or signs off boards in hospitals, offices, factories or process plants.

### How does low voltage fuse, breaker and earth fault protection differ from high voltage relay protection?

It concentrates on board-level devices with fixed curves and built-in trip units, not on relays fed by instrument transformers.

## What do you bring back from low voltage fuse, breaker and earth fault protection training?

You bring back a completed discrimination study for one switchboard. It lists fault levels, settings and earth fault checks.

## Low Voltage Fuse, Breaker and Earth Fault Protection: The Way Forward

The low voltage protection discrimination study first informs whether existing trip settings on the chosen switchboard can stay or must change. Technicians use it when replacing devices and supervisors when approving extensions. Revisit its earth fault and residual current checks whenever drives, chargers or a larger supply transformer join the board.