JUPITER PRIME
Consulting • Training • Advisory
جوبيتر برايم للاستشارات والتدريب

COURSE BROCHURE

Power System Blackout Prevention and Grid Restoration Training Course

14 – 25 December 2026
London

jupiterprime.uk
info@jupiterprime.uk
Registered in the United Kingdom and Saudi Arabia

Power System Blackout Prevention and Grid Restoration Training Course

Ref: 633_23459 **Date:** 14 – 25 December 2026 **Location:** London **Fees:** 9500 GBP

Power System Blackout Prevention and Grid Restoration is a 2-week training course for grid operators, system planners and control room engineers, centred on a system defence and black start restoration plan for their own network. Interconnected grids now run closer to their limits while conventional generation retires, so a single disturbance can cascade into a wide-area outage. Jupiter Prime Training runs this course for the people who keep the lights on and bring them back.

Why Power System Blackout Prevention and Grid Restoration Matters Now

Three pressures shape blackout risk today: falling system inertia as inverter-based resources replace synchronous machines, heavier power transfers across long corridors, and extreme weather that strikes several assets at once. A utility that reads early warning signs, sheds load in the right sequence and restores in a rehearsed order limits an event to minutes; one that does not faces hours of darkness, damaged plant and loss of public trust. The course rests on stability analysis practice, on post-event investigation methods and on IEC 61850 substation communication for fast defence schemes.

Who Gains Most from Power System Blackout Prevention and Grid Restoration

- Control room staff who dispatch generation and act on alarms during disturbances
- Planners who run contingency and stability studies for the transmission network
- Engineers who design under-frequency and under-voltage load shedding schemes
- Generation engineers responsible for black start units and house load operation
- Specialists who investigate major disturbances and write lessons learned

A transmission operator gains most when its planners and control room shift leaders attend together and rehearse one restoration sequence.

Power System Blackout Prevention and Grid Restoration Capabilities

The outcomes trace a blackout from its precursors to the last feeder reconnected.

- Assess voltage and frequency stability margins under credible contingencies — operating limit decisions
- Design load shedding stages for frequency and voltage decline — distribution operators and large consumers
- Specify controlled islanding boundaries that keep generation and load balanced — defence plan approval
- Build a black start sequence with cranking paths and synchronising points — restoration leaders
- Apply sequence of events records to reconstruct a cascading outage — post-event investigations
- Communicate restoration priorities with generators and critical users — emergency coordination

Key Power System Blackout Prevention and Grid Restoration Terms

- Cascading outage — a chain of successive trips where each loss overloads remaining elements until large areas lose supply
- Voltage collapse — a progressive fall in voltage when reactive power cannot meet demand, often after line or generator loss
- Rate of change of frequency — how fast frequency moves after an imbalance, largely set by the system inertia
- Under-frequency load shedding — automatic disconnection of blocks of demand in stages to arrest a frequency fall
- Black start — restarting generation without external supply, using units able to energise a dead network
- Controlled islanding — deliberate splitting of a stressed grid into balanced islands to stop a disturbance spreading

Power System Blackout Prevention and Grid Restoration Day by Day

Day 1: Anatomy of Major Blackouts

- Blackout Event Timelines and Triggering Incidents — Common Failure Patterns
- Precursor Conditions Such as Heavy Transfers — Early Warning Indicators
- Human Factors and Situational Awareness Loss — Control Room Design
- Weather and Vegetation Contact Events — Asset Exposure Ranking
- Economic and Social Impact of Outages — Prevention Investment Case

Day 2: Cascading Outage Mechanisms

- N-1 and N-2 Contingency Criteria — Secure Operating Limits
- Thermal Overload and Line Sag Sequences — Post-Contingency Ratings
- Hidden Protection Failures and Zone 3 Trips — Relay Review Priorities
- Power Flow Redistribution after Trips — Remedial Action Choices
- Cascade Simulation Models — Credible Event Screening

Day 3: Voltage Stability and Collapse

- PV and QV Curves — Voltage Stability Margin Setting
- Reactive Reserve and Generator Capability Limits — Dispatch Decisions
- On-Load Tap Changer Behaviour during Decline — Tap Blocking Rules
- Induction Motor Stalling and Delayed Recovery — Load Model Selection
- Under-Voltage Load Shedding Design — Collapse Prevention Settings

Day 4: Frequency Stability and Inertia

- Swing Equation and System Inertia Estimate — Minimum Inertia Limits
- Primary and Secondary Frequency Response — Reserve Procurement Levels
- Rate of Change of Frequency Limits — Protection Setting Conflicts
- Fast Frequency Response from Batteries — Low Inertia Operation
- Under-Frequency Load Shedding Stage Design — Block Size and Delay

Day 5: Rotor Angle Stability and Oscillations

- Transient Stability and Critical Clearing Time — Protection Speed Needs
- Inter-Area Oscillation Modes — Power System Stabiliser Tuning
- Out-of-Step Detection and Tripping — Controlled Separation Points
- Inverter-Based Resource Ride-Through Behaviour — Grid Connection Requirements
- Dynamic Simulation Study Setup — Credible Disturbance Selection

Day 6: Monitoring and Early Warning

- Phasor Measurement Units and Wide-Area Monitoring — Real-Time Stability View
- State Estimation and Contingency Analysis Tools — Operator Alerts
- Alarm Rationalisation in Control Rooms — Operator Overload Reduction
- Look-Ahead Security Assessment — Day-Ahead Operating Decisions
- Cyber Threats to Energy Control Systems — Defence in Depth Choices

Day 7: System Defence Plans and Islanding

- System Integrity Protection Schemes — Automatic Remedial Actions
- Controlled Islanding Boundary Selection — Island Balance and Stability
- Generator Tripping and Runback Schemes — Overload Relief Options
- IEC 61850 GOOSE for Fast Defence Signals — Scheme Response Time
- Defence Plan Testing and Coordination — Interaction Between Schemes

Day 8: Black Start and Restoration Strategy

- Black Start Unit Capability and Testing — Restoration Source Selection
- Top-Down and Bottom-Up Restoration — Strategy Choice for the Network
- Cranking Paths and Switching Sequences — Energisation Overvoltage Limits
- Synchronising Islands and Load Pick-Up Blocks — Frequency Excursion Control
- Cold Load Pick-Up and Critical Customer Priority — Restoration Order

Day 9: Emergency Operations and Investigation

- Emergency Operating Procedures and Communication Protocols — Shift Leader Authority
- Restoration Drills and Simulator Training — Operator Readiness
- Sequence of Events and Disturbance Records — Event Reconstruction
- Root Cause Methods for Grid Disturbances — Corrective Action Lists
- Lessons Learned Reports — Planning Standard Updates

Day 10: Practising the System Defence and Black Start Restoration Plan

- Stability Margin Study for a Stressed Corridor — Operating Limits Basis
- Load Shedding and Islanding Settings Table — Defence Layer Design
- Black Start Path and Switching Sequence — Restoration Timeline
- Drill Scenario for a Wide-Area Outage — Readiness Evidence
- System Defence and Black Start Restoration Plan Completion — Approval Pack

Applying Power System Blackout Prevention and Grid Restoration After the Course

- Check the under-frequency load shedding stages against current demand and inertia and propose block changes where coverage has drifted
- Run a tabletop restoration drill with control room shift leaders using the black start path and record decision delays

Power System Blackout Prevention and Grid Restoration Questions FAQ

What is power system blackout prevention and grid restoration and why does it matter now?

It is the practice of stopping disturbances from cascading into wide-area outages and restarting the grid safely when they do. It matters now because falling inertia, heavier transfers and extreme weather reduce stability margins on many networks.

Which roles gain most from power system blackout prevention and grid restoration?

Control room operators, transmission planners, load shedding scheme designers and black start generation engineers gain most. You benefit most if you set operating limits, act during disturbances or plan how the grid is energised again.

How does power system blackout prevention and grid restoration differ from a power system protection course?

It looks at the whole system rather than individual relays. A protection course sets devices to clear faults, while this one studies stability margins, defence schemes, islanding and restoration sequences across the network.

What do you bring back from power system blackout prevention and grid restoration?

You bring back stability margins for a stressed corridor, load shedding and islanding settings, and a black start path with a drill scenario. Your control room can use them at once to test readiness.

Power System Blackout Prevention and Grid Restoration: The Way Forward

The system defence and black start restoration plan links operating limits, load shedding stages, islanding boundaries and the black start path in one document. Its first use is setting operating limits for the next high-demand season, applied by control room leaders and planners. After the first drill, revisit inertia assumptions as more inverter-based generation connects.