JUPITER PRIME

Consulting • Training • Advisory

جوبيتر برايم للاستشارات والتدريب

COURSE BROCHURE

AI Health Monitoring Systems Alert Design Training Course

10 – 14 January 2027
Abu Dhabi

jupiterprime.uk

info@jupiterprime.uk

Registered in the United Kingdom and Saudi Arabia

AI Health Monitoring Systems Alert Design Training Course

Ref: 883_33400 **Date:** 10 – 14 January 2027 **Location:** Abu Dhabi **Fees:** 6500 GBP

AI Health Monitoring Systems Alert Design is a 1-week training course for clinical managers, biomedical engineers and digital health leads who set how monitoring platforms decide when to call for help, and it produces an alert threshold and escalation specification. Wearable sensors and anomaly models now stream vital signs from wards and homes faster than staff can read them. Jupiter Prime Training runs this course for teams who own that signal-to-response chain.

Why AI Health Monitoring Systems Alert Design Matters Now

Three forces shape monitoring today: a growing volume of connected devices feeding continuous vital-sign streams, clinicians stretched by alarm fatigue, and buyers facing many vendors with similar claims. An organisation that sets thresholds well catches deterioration early; one that sets them badly drowns staff in false alerts or misses genuine events. The course rests on ISO/IEC 42001 for AI management systems and the NIST AI Risk Management Framework AI RMF for mapping, measuring and managing model risk.

Who Gains Most from AI Health Monitoring Systems Alert Design

- Clinical leads responsible for deciding which physiological changes trigger a nurse or physician response
- Biomedical engineering staff who commission, integrate and maintain monitoring devices and gateways
- Digital health owners accountable for remote monitoring platforms and their alert dashboards
- Patient safety and quality staff who investigate missed or ignored alarms
- Procurement and contract staff who shortlist and score monitoring suppliers

The gain is largest when a clinical lead, a biomedical engineer and a platform owner from the same service attend together and agree one alarm philosophy.

AI Health Monitoring Systems Alert Design Capabilities

Participants turn raw sensor feeds into defensible alarm rules and supplier choices.

- Assess signal quality from wearables and bedside sensors — whether a stream is fit to drive alarms
- Calibrate static and personalised thresholds against baseline variability — the balance of sensitivity and alarm burden
- Design tiered escalation pathways with response times and owners — nursing, on-call and rapid response teams
- Test anomaly models with retrospective replay and silent running — the go-live decision
- Specify integration, cybersecurity and privacy requirements for device data — information governance and IT security
-

Score monitoring vendors against clinical, technical and support criteria — the purchasing panel

Key AI Health Monitoring Systems Alert Design Terms

- Alarm fatigue — desensitisation of staff to alarms after repeated non-actionable alerts.
- Personalised baseline — a reference range learned from one patient's own readings rather than a population limit.
- Escalation pathway — the ordered sequence of who is notified and how fast after an alert.
- Positive predictive value — the share of alerts that turn out to reflect a genuine clinical event.
- Silent running — operating a model in the background without showing its alerts to clinicians.
- Artefact rejection — filtering readings corrupted by motion, poor contact or device faults.

AI Health Monitoring Systems Alert Design Day by Day

Day 1: Monitoring Ecosystems and Signal Sources

- Wearable, Patch and Bedside Sensor Types — Choosing Sources for Each Care Setting
- Remote Monitoring Platform Architecture — Where Alarm Logic Should Sit
- Vital-Sign Sampling Rates and Latency — Acceptable Delay Before Escalation
- Alarm Fatigue Evidence Review — Setting Targets for Actionable Alerts
- ISO/IEC 42001 and NIST AI RMF Mapping — Assigning Model Risk Ownership

Day 2: Signal Quality and Device Integration

- Artefact Rejection and Motion Filtering — Trusting a Reading Before Alerting
- Missing Data and Connectivity Gaps — Rules for Stale Readings
- Interoperable Device Data Flows — Linking Readings to Patient Records
- Gateway Commissioning and Acceptance Testing — Biomedical Sign-Off Criteria
- Privacy Impact Assessment for Home Devices — Consent and Data Minimisation Choices

Day 3: Threshold and Anomaly Model Design

- Static Limits Versus Personalised Baselines — Selecting the Threshold Method
- Early Warning Score Composites — Combining Parameters Into One Trigger
- Anomaly Detection on Time Series — Trend Alerts Versus Point Alerts
- Sensitivity and Positive Predictive Value Trade-Offs — Agreeing Acceptable Alarm Burden
- Retrospective Replay and Silent Running — Evidence Required Before Go-Live

Day 4: Escalation Pathways and Vendor Evaluation

- Tiered Alert Severity Matrix — Matching Urgency to Responder Role
- Notification Channels and Acknowledgement Timers — Closing the Loop on Every Alarm
- Out-of-Hours Cover and Handover Rules — Preventing Orphaned Alerts
- Vendor Scoring Matrix and Reference Checks — Shortlisting Monitoring Suppliers
- Service Level and Model Update Clauses — Contract Terms for Ongoing Performance

Day 5: Practising the Alert Threshold and Escalation Specification

- Ward Deployment Scenario Using Personalised Baselines — Tuning Limits for Inpatients
- Home Monitoring Scenario With Connectivity Gaps — Applying Stale-Data Rules
- Alarm Audit Dashboard Design — Tracking Override and Response Rates
- Vendor Demonstration Scoring Exercise — Applying the Day 4 Matrix
- Alert Threshold and Escalation Specification — Final Draft for Sign-Off

Applying AI Health Monitoring Systems Alert Design After the Course

- Run a two-week alarm audit on one monitored unit, measuring positive predictive value and acknowledgement times.
- Lead a silent-running trial of a candidate threshold set with biomedical engineering and nursing.

AI Health Monitoring Systems Alert Design Questions FAQ

What is AI health monitoring systems alert design and why does it matter now?

It is the discipline of setting the thresholds, models and escalation rules that turn vital-sign streams into clinical alarms. It matters now because connected devices multiply readings while staff time does not, so poorly tuned alarms either overwhelm teams or hide genuine deterioration.

Which roles gain most from AI health monitoring systems alert design?

Clinical leads, biomedical engineers and digital health owners gain most. A shared method for thresholds, signal quality and escalation lets you agree rules quickly.

How does AI health monitoring systems alert design differ from a wearables or telemedicine course?

This course concentrates on alarm logic, escalation and supplier selection rather than device features or virtual consultation workflows.

What do you bring back from AI health monitoring systems alert design?

You bring back a drafted alert threshold and escalation specification for one service covering signal rules, severity tiers, responders and vendor criteria.

AI Health Monitoring Systems Alert Design: The Way Forward

The alert threshold and escalation specification first informs which patient group goes live with AI-driven alarms and at what limits. Nurse leaders, biomedical engineers and platform owners use it to configure devices. After the first month of live alarms, revisit the balance between sensitivity and alarm burden using the audit data it was designed to collect.